Preliminary Amendment dated September 23, 2005

Page 4

Amendments to the Claims:

The following claims will replace all prior versions of the claims in this application (in the unlikely event that no claims follow herein, the previously pending claims will remain):

- 1. (Original) A method of polymerising ethylenically unsaturated monomers in which at least one ethylenically unsaturated monomer is polymerised using a catalyst system having a manganese carbonyl radical initiator, a halogen containing reactive substrate and an allylic halogen substituted chain termination agent.
- 2. (Original) A method as claimed in claim 1 wherein the initiator is or includes a compound of the formula (I):

$$R^1$$
-Mn(CO)_n (Lig)_p (I)

where

R¹ is C₁ toC₃₀ hydrocarbyl, or hydrocarbyl substituted with halogen, alkyl, alkoxy, acyl; or

 R^1 is a group of the formula: - $Mn(CO)_n$ (Lig)_p where Lig, n and p are as defined below; each Lig is a ligand species;

- n is from 1 to 5; and
- p is from 0 to 4;

such that n + p = 5.

3. (Original) A method as claimed in claim 2 wherein the initiator is or includes a compound of the formula (la):

where Lig, p and n are as defined for formula(I), such that p + n = 5.

- 4. (Original) A method as claimed in claim 3 wherein the initiator is dimanganese decacarbonyl.
- 5. (Currently amended) A method as claimed in any one of claims 1 to 4 claim 1 wherein the an allylic halogen substituted chain termination agent is a compound of the formula (II):

```
Hal-CHR<sup>3</sup>-CR<sup>4</sup>=CH2 (II)
```

Preliminary Amendment dated September 23, 2005

Page 5

where

Hal is halogen; and

R³ and R⁴ are each independently hydrogen, or a group: (Link)_n-R⁵,

where:

n is 0 or 1,

Link is a linking group; and

R⁵ is halogen, glycidyl, an ethylenic double bond, carbonyl, carboxyl, cyano, hydroxyl, amino or quaternary amino or ammonium, a phosphorus containing species, a sulphur containing species, a hydrogen bond donor or acceptor, an aromatic ring, a heterocyclic ring, or a saccharide residue.

- 6. (Original) A method as claimed in claim 5 wherein Hal is a chlorine or bromine atom.
- 7. (Currently amended) A method as claimed in any one of claims 1 to 6 claim 1 wherein the reactive substrate is also a chain terminating agent.
- 8. (Currently amended) A method as claimed in any one of claims 1 to 6 claim 1 wherein the reactive substrate is or includes a halogen substituted alkane, alcohol or carboxylic acid ester, an aromatic substituted alkyl halide, a ring substituted benzyl halide, or a sulphonyl halide.
- 9. (Original) A method as claimed in claim 8 wherein the reactive substrate has multiple halogen substitution.
- 10. (Original) A method as claimed in claim 8 wherein the reactive substrate is or includes carbon tetrachloride, carbon tetrabromide, chlorotribromomethane, trichloromethane, tribromomethane, dichloromethane, dibromomethane, 1,1-dichloroethane, 1,1-dibromoethane, 1,1,1-trichloroethane, 1,1,1-tribromoethane, 2, 2-dichloroethanol, 2, 2-dibromoethanol, 2,2,2-trichloroethanol, 2,2,2-tribromoethanol, trichloroacetic acid, C₁ toC₆ alkyl esters of trichloroacetic acid, C₂ toC₆ alkyl 2-bromo-2-methyl propionates, benzyl halides, 2-halo-2-phenylethanes, 4-alkyl benzyl halides, 4-fluorobenzyl bromide, 4-chlorobenzyl chloride, 1,2-di(bromomethyl)benzene, benzene sulphonyl chloride and toluene sulphonyl chloride.

Preliminary Amendment dated September 23, 2005

Page 6

- 11. (Currently amended) A method as claimed in any one of claims 1 to 10 claim 1 wherein the monomer is or includes one or more of an acrylic monomer, vinyl acetate, vinyl halide, styrene, α-methyl styrene, vinyl toluene; vinyl caprolactone, vinyl caprolactam or *N*-vinyl pyrollidone.
- 12. (Original) A method as claimed in claim 11 wherein the monomer includes at least 40 mole% of acrylic monomer or monomers.
- 13. (Currently amended) A method as claimed in either claim 11 or claim 12 claim 11 wherein the acrylic monomer is or includes monomer of the formula (IV):

$$R^{10}$$
- GR^{11} = CR^{12} - COR^{13} (IV)

where

R¹⁰ is methyl or, and desirably, hydrogen;

R¹¹ is methyl or, and desirably, hydrogen;

R¹² is methyl or hydrogen;

provided that at least one of R11 and R12 is hydrogen, and

- R¹³ is -OR¹⁴, or -NR¹⁵R¹⁶ whereR¹⁴, R¹⁵ and R¹⁶ are each hydrogen, hydrocarbyl, or a polyalkyleneoxy chain.
- 14. (Original) A method as claimed in claim 13 wherein the monomer is or includes one or more acrylate or methacrylate ester; acrylic or methacrylic acid; acrylic or methacrylic amide; or a sulphonated acrylic monomer.
- 15. (Currently amended) A method as claimed in any one of claims 1 to 14 claim 1 wherein the reaction conditions include heating the reaction mixture containing the manganese carbonyl radical initiator to initiate thermolysis of the initiator.
- 16. (Original) A method as claimed in claim 15 wherein the reaction is carried out at a temperature of from 50 to 150°C, particularly 50 to 100°C.
- 17. (Currently amended) A method as claimed in any one of claims 1 to 16 claim 1 wherein the reaction conditions include exposing the reaction mixture containing the manganese carbonyl radical initiator to actinic radiation to initiate photolysis of the initiator.

Preliminary Amendment dated September 23, 2005

Page 7

- 18. (Original) A method as claimed in claim 17 wherein the actinic radiation is visible or ultraviolet light.
- 19. (Currently amended) A method as claimed in either claim 17 or claim 18 claim 17 wherein the reaction is carried out at a temperature of from -50 to 100°C.
- 20. (Currently amended) A method as claimed in any one of claims 1 to 16 claim 1 wherein the reaction mixture additionally includes a Lewis acid, particularly a metal containing Lewis acid.
- 21. (Original) A method as claimed in claim 20 wherein the Lewis acid is a magnesium salt, particularly a magnesium halide, such as magnesium bromide or magnesium chloride, a zinc salt, particularly a zinc halide, such as inc bromide or zinc chloride, or zinc trifiuoromethanesutfonate, a lanthanum salt such as lanthanum acetate, particularly as the heptahydrate, a ytterbium salt such as a ytterbium halide, particularly ytterbium chloride, or ytterbium triflate.
- 22. (Original) A catalyst system for polymerising ethylenically ansaturated monomers which is a combination of a manganese carbonyl radical initiator, a halogen containing reactive substrate and an allylic halogen substituted chain termination agent.
- 23. (Currently amended) A catalyst system as claimed in claim 22 wherein the initiator is or includes a compound as defined in any one of claims 2 to 4 the compound of formula (I).
- 24. (Currently amended) A catalyst system as claimed in either claim 22 or claim 23 claim 22 wherein the chain terminating agent is or includes a compound as defined in any one of claims 5 to 7 the compound of formula (II).
- 25. (Currently amended) A catalyst system as claimed in any one of claims 22 to 24 claim 22 wherein the reactive substrate is also a chain terminating agent.
- 26. (Cancelled).

Preliminary Amendment dated September 23, 2005

Page 8

- 27. (Currently amended) A catalyst system as claimed in any one of claims 22 to 24 claim 22 which additionally includes a Lewis acid, particularly a metal containing Lewis acid.
- 28. (Original) A catalyst system as claimed in claim 27 wherein the Lewis acid is a magnesium salt, particularly a magnesium halide, such as magnesium bromide or magnesium chloride, a zinc salt, particularly a zinc halide, such as zinc bromide or zinc chloride, or zinc trifluoromethanesulfonate, a lanthanum salt such as lanthanum acetate, particularly as the heptahydrate, a ytterbium salt such as a ytterbium halide, particularly ytterbium chloride, or ytterbium triflate.
- 29. (Original) A polymer or copolymer of one or more ethylenically unsaturated monomers having at one end of the (co)polymeric chain a residue of a reactive substrate and a residue of a chain terminating agent at the other.

30-32. (Cancelled).